


CUBE Spotlight

**Description**

LED Spotlight for outdoor use.


With adjustable lighting positioning. Structure with double body design to prevent heat generated by the LED affecting the useful life of the driver. Adjustable light source. Structure material: High purity aluminium. Structure finish: Urban grey. Diffuser material: Polycarbonate. Diffuser finish: Transparent. UV protection. Warranty: 5 Years.

**Finish**

Urban grey
Transparent

Material

High purity aluminium
Polycarbonate

**TECHNICAL CHARACTERISTICS****Light source**

Light source: LED CREE
Output (W): 15W
Total power consumption (W): 18.6W
Color temperature: Neutral white - 4000K
CRI: 80
Real Lumen: 1433
Nominal Lumen: 1836
Qty Leds: 5
Lm/Real W: 77
Life Time: 50.000h L90B10
Bin / Grup: 5A3 o 5D2
MacAdam steps: 3
UGR: 13.4
Photobiological risk: RG2

GEAR

Brand: EAGLERISE
Gear included: Yes, electronic
Voltage / Frequency:
100-240VAC/50-60Hz
Power Factor: 0.94

Luminaire

Double cable exit: No
Drainage: No
Uv Protection: Yes
Warranty: 5 Years

Logistics

Energy Efficiency: LED A++
EAN Code: 8435381443351
Net Weight (Kg): 0.885
Weight in Kg (packaged): 1.057
Packing: 165 x 110 x 165
Masterbox: 6

The photograph may not match the reference exactly. Please read the product description to identify the finish.

OPTIONAL ACCESSORIES



71-9487-34-34

3x1 Pole

Structure material: Galvanized steel
Dimensions: 0 x x 830
Net Weight (Kg): 0.000



71-9487-Z5-Z5


3x1 Pole

Structure material: Galvanized steel
Dimensions: 0 x x 830
Net Weight (Kg): 0.000




71-9487-Z5-Z5V1


Structure material: Galvanized steel
Net Weight (Kg): 0.790




PC TRANSPARENTE
TRANSPARENT PC



ALUMINIO
ALUMINIUM



ALUMINIO INYECTADO
INJECTED ALUMINIUM



PLANTILLA DE INSTALACIÓN
INSTALLATION TEMPLATE

